

(revision date:2/25/2019)

Ticks

Use Integrated Pest Management (IPM) for successful pest management.

Biology

Ticks are blood-sucking ectoparasites. They are commonly found on low-lying vegetation waiting for a host to brush past them. At that time, the tick will cling to the host and begin searching for a feeding site. By burrowing their mouthparts into the host, a tick obtains its necessary blood meal. Depending on the tick species, they can feed from a few minutes to weeks. Ticks can transmit diseases to their host during this feeding.

There are several tick species found in Washington. Dermacentor species are found in woodlands; grassy, sunny, open areas near woods; and near wetlands. These ticks feed on deer, livestock, dogs, and humans and can transmit Rocky Mountain Spotted Fever, Tick Paralysis, and Tularemia. These ticks include the American Dog tick. Ixodes species live in heavily-forested or brushy areas, but NOT in open areas. The immature stage prefers to feed on birds and small rodents but both immatures and adults will feed on humans, livestock and dogs. These ticks are found primarily in the western part of the state. Diseases transmitted by Ixodes species include Lyme disease, Tick paralysis, and Babesiosis. These ticks include the Northern Deer tick and the Western Black-legged tick. And finally, Ornithodoros species are found in Eastern Washington and are nesting parasites found in burrows and nests. They typically feed on small rodents. Humans can become incidental hosts when sleeping in rodent- and tick-infested areas such as cabins. Ornithodoros species are also known as “soft ticks” and spread Tick-borne Relapsing Fever.

Management Options

Non-Chemical Management

- ~ Avoid weedy, tick-infested areas.
- ~ Frequently inspect for ticks. Look closely at the head, behind ears, and in the neck region, waistband, and around socks.
- ~ Remove attached ticks as soon as possible to reduce the risk of disease transmission.
While wearing gloves, or otherwise protecting yourself from tick fluids, grab the tick with tweezers as close as possible to the skin. With steady pressure, gently pull the tick straight out. Do not twist or jerk the tick because this may leave the tick’s mouthparts in the skin. Try not to crush or burst the tick and avoid touching it with bare hands.
- ~ If exposure is unavoidable, tuck pant cuffs into your socks to prevent ticks from crawling up your leg.
Wear light colored clothing to make it easier to find crawling ticks.
- ~ Manage weeds or grass to reduce tick habitat.
- ~ Limit dog access to tick infested areas and check pets often for ticks.
- ~ Do NOT use fire to remove a tick.

Select non-chemical management options as your first choice!

Chemical Management

IMPORTANT: Visit Home and Garden Fact Sheets for more information on using pesticides

If you choose to use a pesticide, some examples of products that are legal in Washington are listed below. Some products are labeled for just INDOOR or just OUTDOOR use, or may allow both uses. Be sure to choose a product appropriate for your situation. Always read and follow all label directions.

- ~ Avon Skin-So-Soft SSS Bug Guard plus Picaridin Insect Repellent
 - active ingredient: picaridin
 - EPA reg no: 806-29
- ~ Unscented Cutter Insect Repellent

- active ingredient: DEET
- EPA reg no: 121-65
- ~ Buzz Off Insect Shield Insect Repellent Apparel
 - active ingredient: permethrin
 - EPA reg no: 74843-2
- ~ Hartz InControl Advanced Flea & Tick Drops for Dogs
 - active ingredient: phenothrin, s-methoprene
 - EPA reg no: 2596-150
- ~ Frontline Spray Treatment (topical use [apply to hair] only)
 - active ingredient: fipronil
 - EPA reg no: 65331-1
- ~ Frontline Top Spot/Cats & Kittens (topical use [skin application] only)
 - active ingredient: fipronil and methoprene
 - EPA reg no: 65331-5
- ~ Frontline Top Spot/Dogs & Puppies (topical use [skin application] only)
 - active ingredient: fipronil and methoprene
 - EPA reg no: 65331-5
- ~ Preventic Tick Collar for Dogs
 - active ingredient: amitraz
 - EPA reg no: 2382-104
- ~ Zodiac Spot-On Flea & Tick Control/Dogs
 - active ingredient: permethrin, s-methoprene
 - EPA reg no: 2724-497
- ~ Sentry Flea & Tick Squeeze-On for Dogs
 - active ingredient: permethrin and pyriproxyfen
 - EPA reg no: 2517-87
- ~ Cutter Dry Insect Repellent - Unscented
 - active ingredient: DEET
 - EPA reg no: 121-65
- ~ OFF! Active Insect Repellent I Sweat-Resistant
 - active ingredient: DEET
 - EPA reg no: 4822-380
- ~ CVS Insect Repellent - unscented
 - active ingredient: DEET
 - EPA reg no: 498-154-22946
- ~ Enforcer Flea & Tick Spray
 - active ingredient: pyrethrins, Pyriproxyfen
 - EPA reg no: 1021-1704-40849
- ~ This list may not include all products registered for this use.

Ticks

Images



~ Caption: Ticks
~ Photo by: unknown